


RESTRICTED
LEVEL 2 SECURITY CLEARANCE REQUIRED




Catalogue of Known SCPs

SAMPLE



**SPACE CORPS
PRODUCTIONS**

CATALOGUE OF KNOWN SCPS



Secure, Contain, Protect

Catalogue of Known SCPs

First published 2021 by Space Corps Productions.

www.spacecorpsproductions.com

This is the First Edition, published in August 2021.

[CUT-DOWN FREE SAMPLE VERSION]
[first 10 SCPs only]

Content relating to the SCP Foundation, including the SCP Foundation logo, is licensed under Creative Commons Sharealike 3.0 and all concepts originate from <http://www.scpwiki.com> and its authors. This document, being derived from this content, is hereby also released under Creative Commons Sharealike 3.0.

See <http://www.scpwiki.com/licensing-guide> and <http://creativecommons.org/licenses/by-sa/3.0/> for more information.



Forward

This document is a catalogue of known SCPs as of this date. It has been prepared by Space Corps Productions, Dr [REDACTED] for the use of new Foundation staff during their orientation period.

For ease of use, the SCPs have been divided into "Series" - Series 1 to Series 6. These are solely for ease of reference, and should not be considered official designations.

Similarly, the narrative titles given to the individual documents are Space Corps Productions, Dr [REDACTED]'s own, and should not be used in official Foundation documentation. SCPs should in all cases be referred to by their official designation (SCP-XXX), or suitable terminology ("the item", "the artifact" etc).

An index has been added, including links to references in the main catalogue to notable individuals and organisations such as Foundation staff, MTFs, Sites and Areas, as well as references to SCPs in other SCPs' entries. It is not intended to be exhaustive, but may be useful to new staff consulting this document.

WARNING: It is recommended that staff do NOT print out this document, rather viewing it on a secure device. If printed out onto paper, the document would be greater than 25,000 A4 pages long (including index). Even printed out double-sided, this is deemed "not an efficient use of Foundation resources at this time."

SCP DATA SNAPSHOT: 04 August 2020

THIS DOCUMENT CREATED: 04 August 2021

DOCUMENT AUTHOR: Space Corps Productions, Dr [REDACTED]

REQUIRED SECURITY CLEARANCE: LEVEL 2

SCP

Listings

Series

1

SCP-001
=====

Awaiting De-classification [Blocked]

TOP SECRET

BY ORDER OF THE ADMINISTRATOR

GENERAL NOTICE 001-Alpha: In order to prevent knowledge of SCP-001 from being leaked, several/no false SCP-001 files have been created alongside the true file/files. All files concerning the nature of SCP-001, including the decoy/decoys, are protected by a memetic kill agent designed to immediately cause cardiac arrest in any nonauthorized personnel attempting to access the file. Revealing the true nature/natures of SCP-001 to the general public is cause for execution, except as required under [REDACTED]-[REDACTED]-[REDACTED].

WARNING:

ANY NON-AUTHORIZED PERSONNEL ACCESSING THIS FILE WILL BE IMMEDIATELY TERMINATED THROUGH BERRYMAN-LANGFORD MEMETIC KILL AGENT. SCROLLING DOWN WITHOUT PROPER MEMETIC INOCULATION WILL RESULT IN IMMEDIATE CARDIAC ARREST FOLLOWED BY DEATH.

YOU HAVE BEEN WARNED.

SCP-002

=====

The "Living" Room

Item #: SCP-002

Object Class: Euclid

Special Containment Procedures: SCP-002 is to remain connected to a suitable power supply at all times, to keep it in what appears to be a recharging mode. In case of electrical outage, the emergency barrier between the object and the facility is to be closed and the immediate area evacuated. Once facility power is re-established, alternating bursts of X-ray and ultraviolet light must strobe the area until SCP-002 is re-affixed to the power supply and returned to recharging mode. Containment area is to be kept at negative air pressure at all times.

Teams including a minimum of two (2) members are required within 20 meters of SCP-002 or its containment area. Personnel should maintain physical contact with one another at all times to confirm there is another person present, as perception may be dulled, skewed, or influenced by proximity to the object.

No personnel below Level 3 are permitted within SCP-002. This requirement may be waived via written authorization from two (2) off-site Level 4 administrators. Command staff issued such a waiver must be escorted by at least five (5) Level 3 Security personnel for the duration of their contact and must temporarily surrender their rank and security clearance. Following contact, command staff will be escorted at least 5 km from SCP-002 to undergo a seventy-two (72)-hour quarantine and psychological evaluation. If deemed fit for return to duty by psych staff, rank and security clearance may be restored when quarantine expires.

Description: SCP-002 resembles a tumorous, fleshy growth with a volume of roughly 60 m³ (or 2000 ft³). An iron valve hatch on one side leads to its interior, which appears to be a standard low-rent apartment of modest size. One wall of the room possesses a single window, though no such opening is visible from the exterior. The room contains furniture which, upon close examination, appears to be sculpted bone, woven hair, and various other biological substances produced by the human body. All matter tested thus far show independent or fragmented DNA sequences for each object in the room.

Refer to the Mulhausen Report [cross-ref:document00.023.603] for details related to object's discovery.

Reference: To date, subject has been responsible for the disappearances of seven personnel. It has also in its time at the facility further furnished itself with two lamps, a throw rug, a television, a radio, a beanbag chair, three books in an unknown language, four children's toys, and a small potted plant. Tests with a variety of lab animals including higher primates have failed to provoke a response in SCP-002. Cadavers as well fail to produce any effect. Whatever process the subject uses to convert

organic matter into furnishings is apparently only facilitated by the introduction of living humans.

view Mulhausen Report docid:00.023.603

Mulhausen Report [00.023.603]

The following is a brief report detailing the discovery of SCP-002

Subject was discovered in a small crater in northern Portugal where it struck the Earth from orbit. Encased in a shell of thick rock, the fleshy exterior of the object was exposed by the impact. A native farmer happened upon the site and reported his findings to the village elder. Subject gained SCP attention when a Level 4 agent posted in the area detected a small radioactive anomaly generated by the object.

A collection squad of SCP security personnel led by General Mulhausen was immediately dispatched to the area where they quickly secured the subject in a large container and performed initial testing with subjects recruited from the nearby village. Three men individually sent into the structure subsequently disappeared. Upon discovering this deadly property of the subject, General Mulhausen issued a Level 4a Termination Order of any witnesses (roughly 1/3 of the village) to ensure no outside knowledge of the object and initiated its transport to SCP facility [DATA EXPUNGED].

During preparation for transport, four SCP security personnel were inexplicably drawn inside the object where they too immediately disappeared. Following inspection, it appeared as if the object had "grown" several new furnishings and was beginning to look like the interior of an apartment room. General Mulhausen immediately ordered the requisition of several Class III HAZMAT suits for the remaining security team members, who proceeded to lift the container onto a waiting freight ship for transport to the SCP containment facility.

[DATA EXPUNGED]

[DATA EXPUNGED]

Following the termination of General Mulhausen, SCP-002 was re-secured by SCP staff and brought into special containment in [CLASSIFIED], where it currently resides. Staff with clearance below Level 3 have been denied access to the SCP-002 container without prior approval of at least two Level 4 staff after the Mulhausen incident.

SCP-003

=====

Biological Motherboard

Item #: SCP-003

Object Class: Euclid

Special Containment Procedures: SCP-003 is to be maintained at a constant temperature of no less than 35°C and ideally kept above 100°C. No living multicellular organisms of Category IV or higher complexity may be allowed to come into contact with SCP-003.

In event of total power failure, if SCP-003-1 begins to increase its mass, assigned personnel must engage in skin contact with SCP-003-1. Ideally, personnel may use their body heat to return SCP-003-1 to above the critical temperature; however, skin contact must be maintained even in event of SCP-003 reaching activation temperature, lasting at minimum until SCP-003-1 advances fully to its second growth stage.

Personnel who enter SCP-003's containment area must first be examined for body parasites of Category IV or higher complexity, and sterilized if such organisms are present. All personnel who have come in physical contact with SCP-003-1 are to immediately report for sterilization afterwards.

SCP-003-1 must not be removed from SCP-003-2 except in case of emergency procedures detailed above. Any significant change in SCP-003-2's rune activity (including pattern, frequency, or color) should be reported within three (3) hours of occurrence. Cessation of rune activity must be reported immediately. SCP-003-2 must be supplied with power via the source designated Generator 003-IX at all times.

Description: SCP-003 consists of two related components of separate origin, referred to as SCP-003-1 and SCP-003-2.

SCP-003-1 appears to be composed of chitin, hair, and nails of unknown biology, arranged in a configuration similar to that of a computer motherboard. Testing reveals SCP-003-1 to predate earliest known circuit boards by a factor of thousands of years. SCP-003-1 is considered sentient but not actively dangerous except under certain conditions.

SCP-003-1 was found on a stone tablet, SCP-003-2, on which it currently resides. The runes on SCP-003-2 are not part of any known language, and emit pale, flickering light patterns.

SCP-003-2 is controlled by a (non-biological) internal computer, the contents of which are mostly inaccessible without risk of damaging SCP-003-2. SCP-003-2 is capable of controlled emissions of radiation, including heat, light, and anomalous radiation types. SCP-003-2 contains an internal power source of an anomalous nature, which appears to have been losing power since several centuries before discovery.

It is considered probable that SCP-003-2 was created for the purpose of containing SCP-003-1. Partially interpreted data recovered from SCP-003-2 may refer to a past and/or potential future LK-class restructuring event caused by SCP-003-1.

SCP-003 was located by remote viewing team SRV-04 Beta. It appears possible that SRV-04 Beta was deliberately contacted by SCP-003-2. Other organizations have also been alerted to SCP-003's existence, possibly by similar means. Despite this activity, SCP-003-2 does not appear to be sentient, based on its lack of reaction to M03-Gloria analysis and procedures.

When SCP-003 drops below the temperature of 35°C, both components react.

First, SCP-003-1 enters a growth state characterized by an exponential increase in mass. This growth state consists of two stages. In both stages, SCP-003-1 partially fuels its growth by converting matter around it, starting with any surrounding inorganic material, including atmospheric elements, then nonliving organic material, including cells of dead skin, hair, chitin, enamel, keratin, and other biological materials.

The first stage is always the same. SCP-003-1 will first increase its mass, then take a form similar in shape to an ophiuroid (brittle star) of fifteen meters in diameter (including what appears to be a central processor of three meters in diameter). It will form sensory organs that appear to scan its surrounding environment, and will partially convert the area around it to an unidentified anomalous substance (SCP-003-2 seems immune from conversion).

The second stage describes a growth alteration which occurs when SCP-003 comes into contact with living organic material; SCP-003 appears to "template" itself off of the organic material, and will attempt communication with organisms that match its initial "template" or "templates".

In its second stage, SCP-003-1 may pause, slow or change its growth, and will also convert inorganic and nonliving organic elements into functionally similar structures while anomalously altering their physical makeup.

While growth is consistent in the first stage, in the second stage SCP-003-1's growth rate is diminished by 20-90% so long as SCP-003-1 remains in contact with living organic material. The percentage is determined by the complexity of the organism(s) in contact with SCP-003-1; SCP-003-1 appears to devote a large amount of processing power to analysis of living organic material.

During each of SCP-003-1's growth stages, SCP-003-2 releases bursts of radiation that temporarily inhibit SCP-003-1's growth, or reverse this growth when the temperature of SCP-003-1 rises above 100°C. Similar radiation emissions have been replicated or recorded via other anomalous means.

SCP-003-1's biology has been the subject of extensive study. Significant elements have been identified similar to SCP-████, SCP-1512, and SCP-2756, the latter two of which have no further confirmed connection with SCP-003-1 and no known connection with each other, and none of which are fully understood (technically,

even less understood than SCP-003, thanks to the extensive cross-disciplinary research on the SCP-003 objects). To date, no convincing analysis has been put forward which satisfactorily explains SCP-003-1's connection to these SCP objects or others, nor its connection to modern technology beyond appearance (and potential mimicry via unknown mechanism).

Addendum 003-01: Acting on information gathered from linguistic analysis of SCP-003-2's runes and comparative data analysis, Research Team M03-Gloria has managed to establish a link between SCP-003 and [DATA EXPUNGED] for analysis of functions. SCP-003-1 must now be considered sentient, and is to be kept a minimum of 1 km from [DATA EXPUNGED] and the resulting "by-product" at all times.

Addendum 003-02: SCP-003-2's power loss has been exacerbated by the procedures performed by M03-Gloria. On orders of O5-10, M03-Gloria will continue procedures.

Addendum 003-03: During M03-Gloria procedures, SCP-003-1 doubled its mass and began rapid structural growth. Temperature was immediately returned to 100°C. Growth and mass increase of SCP-003-1 continued for 9 minutes and 6 seconds, at which time a sustained radiation spike was produced by SCP-003-2. In response, SCP-003-1 returned to its normal state in 3 minutes and 39 seconds. New growth dissolved into a dusty residue which was collected for analysis. Both SCP-003-1 and SCP-003-2 ceased all detectable activity. SCP-003-2 did not resume activity until connected to external power source. SCP-003-2's runes glowed uniformly gray and did not resume normal activity for three (3) hours. SCP-003-2 no longer appears to be able to maintain containment area at a temperature above 35°C without external power supplied by Generators 003-III through IX.

Addendum 003-04: The procedure detailed in Addendum 003-03 was repeated, and SCP-003-1 again entered a growth state. After 10 minutes and 13 seconds, SCP-003-2 once again produced a sustained radiation spike. SCP-003-1's growth stopped for 36 seconds, then resumed at its previous pace.

On quadrupling its mass, SCP-003-1 formed a coherent outer shell and body. After appearing to scan its environment and partially converting its environment, SCP-003-1 then breached containment, entering the observation gallery where nine members of M03-Gloria were present. On physical contact with team members, SCP-003-1 encompassed them in rapidly-grown appendages and stopped growth for 15 minutes. SCP-003-1 then resumed growth, and rearranged the component parts of the center of its form to the shape of a three-meter-tall female humanoid, with peripheral "tentacles" shifting to extrude primarily from SCP-003-1's newly formed "hair" and spine. SCP-003-1 then produced rudimentary vocalizations in an apparent initial attempt to communicate with researchers. [DATA EXPUNGED]

An unknown individual approached the compromised containment area in company of a full squad of agents. The individual claimed to be acting on orders of O5-10 and attempted communication with SCP-003-1. [DATA EXPUNGED]

Following this incident, Agent Jackson of M03-Gloria successfully restored power to SCP-003-2 and activated backup generators to return the temperature to 100°C. SCP-003-1 returned to its normal state in 21 minutes and 7 seconds, and was successfully re-contained without incident.

All nine members of M03-Gloria affected by SCP-003-1 were afterwards found to be physically unharmed, with no residual effects besides psychological trauma. The converted materials of SCP-003's former containment area did not dissolve and are now under analysis.

Addendum 003-05: In light of the previous incident, O5-10 was removed from the O5 Council by joint decision of O5-█, O5-█, and O5-█. M03-Gloria procedures have been indefinitely suspended.

== SPECIAL ACCESS PROGRAM M03-GLORIA REQUIRED ==

- Access Granted. Display Files.

Transcript of Incident Report A21-B Cycle 8. For dissemination to O5 Command and Staff.

Interviewers: █, █, and █

Present: O5-2, O5-5, O5-7, O5-10, and Staff

Interviewed: Dr. Tilda David Moose, M03-Gloria Lead

Excerpt 35A

She tried to talk to us. We all heard her voice in our heads, in a sort of half-language we couldn't fully understand. Some of the others passed out immediately. I lasted a little longer, but it wasn't because of mental fortitude. It's just that she was trying to tell us different things.

She showed Jones a replay of all the memories of everything Jones ever felt anything about. All over the course of a few minutes. She ripped three of the researchers apart and put them back together unharmed. She doesn't understand human emotion, or pain. Or very much about how we experience the world.

Yes, I would say the containment procedures are necessary.

Listen, she wants to remake the world. Into a paradise. A paradise filtered through her own alien understanding of paradise, but still, a paradise designed for us. For humanity. She would be happy to make a paradise for any sufficiently complex organism she comes across first. Anything with a complex enough mind to accept her. Say, a dog. Or a housefly.

If she breaches again, we have to be there first.

What would it be like? I don't know. She showed us images – not quite images. I can see them in my head, but they're not pictures. The closest thing I can think of is what you see when you close your eyes suddenly and tightly, but brighter and more complex. The images had metallic sounds associated with them, and sensory details that we don't have the words or concepts to describe.

The whole effect felt like words of some kind. I believe she wanted to see what we could understand, so she could understand us.

She didn't have time to finish analyzing us. I don't know what would have happened if she had.

The 12 Rusty Keys and the Door

Item #: SCP-004

Object Class: Euclid

Special Containment Procedures: When handling items SCP-004-2 through SCP-004-13, proper procedure is vital. The items are not permitted to be moved off-site unless accompanied by two Level 4 security personnel. Under no circumstances should any other component of SCP-004 be taken through SCP-004-1. The effects of doing so are as yet unknown, and the current cost of experimentation makes further research impractical. Should any of the objects contained within SCP-004-1 breach containment, or the facility be breached, the keys must be brought inside and the door closed prior to activation of Site 62's on-site warhead. Unauthorized removal of keys from the testing area is grounds for immediate termination.

Level 1 clearance is required for basic access to SCP-004-1; Level 4 clearance is required for use of SCP-004-2 to -13.

Description: SCP-004 consists of an old wooden barn door (SCP-004-1) and a set of twelve rusted steel keys (SCP-004-2 through SCP-004-13). The door itself is the entrance to an abandoned factory in [DATA EXPUNGED].

Chronological History

07/02/1949: A group of three juveniles trespassing on federal property near [REDACTED] find the door. According to their testimony, they found a set of rusted keys in an iron lockbox and determined what door the keys unlock. The juveniles are taken into custody after they contact Sheriff [REDACTED] when one of their friends (SCP-004-CAS01) goes missing.

07/03/1949: Local authorities find the severed right hand of SCP-004-CAS01 eight kilometers from SCP-004-1. Other parts of SCP-004-CAS01's body are found scattered as far as 32 km from the factory. Under interrogation, the apprehended juveniles tell authorities that upon opening the door with one of the keys, SCP-004-CAS01 was torn into several pieces, each of which disappeared. At this point, the SCP Foundation takes over the investigation.

07/04/1949: SCP Agent [REDACTED] obtains the keys from the local authorities to begin testing. Tests show that SCP-004-2 through SCP-004-13 all fit into a single lock on the large barred door. 12 Class D personnel are assigned to test the effects of the door. Of the twelve test subjects each trying a different key to enter the room, only two survive. Opening the door with any key except SCP-004-7 or SCP-004-12 caused the test subjects to be torn apart in multiple directions; however, no dismembered parts were found until later. At the time of writing, only two parts of each subject have been recovered (with the exception of the subject

using SCP-004-█, whose pieces were scattered in close proximity). The others have, for all intents and purposes, vanished from existence.

Of the two surviving subjects, only one (having used SCP-004-7) returned unharmed. The other came back in a near-catatonic state, able only to remove himself from the room and then collapse on the floor, and had to be restrained to prevent him from gouging out his eyes (see Appendix A: Mental Health Effects of SCP-004). The subject using SCP-004-7 said that he had entered a large room, impossibly big for the size of the attached building. After his exit, SCP-004-1 was propped open and an armed squad of Level 3 personnel entered. The size of the room is impossible to measure and the door frame and the individuals in the room are the only part of the room that can be felt or illuminated.

07/16/1949: The juvenile suspects and Sheriff ██████████ are terminated.

08/02/1949: ██████████ is declared a hazardous area "due to unexploded ordnance" and fences erected in order to prevent civilian ingress. Tests to determine safety of exposure to environment behind SCP-004-1 begin.

12/01/1950: Space-time anomalies resulting from exposure to SCP-004 are confirmed. Testing is suspended until further notice.

07/02/19██: The unaccounted-for remains of SCP-004-CAS01 appear unexpectedly outside SCP-004-1. Despite being killed decades before, the remains of SCP-004-CAS01 are not decomposed in any manner and are still warm to the touch. Blood remains uncoagulated. The remains are remanded for testing.

07/04/19██: The unaccounted-for remains of one of the twelve (12) original test subjects appear in similar manner to those of SCP-004-CAS01. The remains have been designated SCP-004-CAS02. Records suggest that both SCP-004-CAS01 and CAS02 used SCP-004-██.

03/21/1999: With the massive proliferation of nuclear weapons and World War III only █ years away, construction has begun on a site inside SCP-004-1. The site is to stock supplies for ██████ person-days.

04/21/1999: ██████████ has ordered the site inside SCP-004-1 to be expanded to include emergency storage for all mobile SCP-██ specimens and a █-petabyte database for the storage of all SCP data. The facility is now referred to as Site-62.

09/25/2000: Site-62 is operational. Labs and containment units are complete and can contain the most dangerous specimens. Backup of the SCP database has begun.

01/25/2001: Due to time anomalies (see "Space-Time Anomalies" below), all personnel working at Site-62 are now required to reside on-site permanently. Families of personnel are to be informed that loved ones perished in an industrial accident. Cloned bodies have been prepared for funeral.

08/14/2003: Massive power outage across Northeast United States and through Canada. Due to the initial failure of multiple SCP

Item #: SCP-004-14

Date of Discovery: 09/02/1950

Origin of Object: Object was discovered elsewhere in factory area, in the previously undiscovered manager's office.

Description: Object appears as a large, unvarnished wooden box. The box may be unlocked by the "safe" key, SCP-004-7, as well as five of the "unsafe" keys (see Document SCP-004-1).

Upon unlocking SCP-004-14 with SCP-004-7, the box opens automatically on hinges. The volume of the space inside is precisely five times greater than the outer dimensions imply. Items placed within while the lid remains open do not affect the weight or any other properties of the box. When the lid is closed and locked, however, all items inside vanish irretrievably. Personnel locked inside the box are also irretrievable, although losing personnel in this fashion appears to affect significantly the dreams experienced by [DATA EXPUNGED].

SCP-005

=====

Skeleton Key

Item #: SCP-005

Object Class: Safe

Special Containment Procedures: SCP-005 poses no immediate risk in any direct sense. Even so, its unique functions require special measures be taken to restrict access and manipulation of the object. Approval of at least one (1) Level 4 personnel is required for the removal of the object from its containment area.

Description: In appearance, SCP-005 resembles an ornate key, displaying the characteristics of a typical mass produced key used in the 1920s. The key was discovered when a civilian used it to infiltrate a high security facility. SCP-005 seems to have the unique ability to open any and all forms of lock (See Appendix A), be they mechanical or digital, with relative ease. The origin of this ability has yet to be determined.

Additional Notes: SCP-005 may be used as a replacement for lost security passes, but only under the supervision of at least one (1) Level 4 personnel. SCP-005 may not be used for vending machine repairs, opening lockers, or for any personnel's spare home key. Removal of the object from the compound will result in immediate termination.

Appendix A: While SCP-005 has been shown to be effective in removing almost any form of locking device, further experiments have shown that efforts to disguise the purpose or identity of a lock have proven at least somewhat successful in defeating SCP-005's ability. In approximately 50% of cases where a volunteer was not able to identify a locking device as such, SCP-005 was not successful in deactivating the device. Due to these results, SCP-005 has been tentatively classified as 'sentient' and further tests are being run to determine its cognitive abilities. However, there are no results that show any traits that prevent it from being able to identify any particular locking device, only that the aforementioned device has been heavily concealed and disguised.

SCP-006

=====

Fountain of Youth

Item #: SCP-006

Object Class: Safe

Special Containment Procedures: Whereas the nature of SCP-006 does not warrant any extensive containment, a certain level of secrecy is necessary regarding the object's existence and properties, for obvious reasons. The following procedures are required not for personnel safety, but to deny or hide knowledge of SCP-006's effects from the personnel who interact with it.

1: All personnel interacting with SCP-006 in any physical way are required to wear modified Class VI BNC suits. Before personnel are allowed to perform procedures, they must be briefed with Material SCP-006B or SCP-006C. SCP-006A Briefing is the correct one and is restricted to only those with O5 clearance. To ensure personnel are wearing suits properly, they are to be submerged into a pool of water. Any air bubbles spotted signify a leak in the suit.

2: Procedures with SCP-006 are to be carried out under extreme surveillance. In case of contact with SCP-006, the commander in charge will announce Procedure 006-Xi-12, which the personnel have been briefed to believe to mean high toxicity is present and they must evacuate.

3: Any procedure in which liquid is acquired from SCP-006 must be approved by three (3) O5 level personnel. The liquid is to be transferred in a Quad-Sealant Container and under armed guard.

4: If at any time personnel come into contact with SCP-006 or liquid from SCP-006, they are to be confined and terminated after sufficient studies are done. Due to the nature of SCP-006, the most effective termination method is incineration. (For full report, see file SCP006-Ter05)

Description: SCP-006 is a very small spring located 60 km west of Astrakhan. Foundation Command was aware of its existence since the 19th century, but were unable to secure it until 1991 due to political reasons. On the spot of the spring, a chemical factory has been constructed as a disguise, with the majority of laborers under Foundation and/or Russian control. The liquid emitted from the spring has been chemically identified as simple mineral water in 1902, but has the unusual property of "health".

Ingesting the liquid produces the following properties in human beings: the ability to regenerate DNA damaged by sufficient duplication, heightened excitement of cellular duplication, vastly improved abilities in the repair of damaged tissue, and a frightening increase in the effectiveness of the human immune system. Upon testing the liquid on animal subjects, hostile bacteria and viral agents were destroyed immediately. Many reptiles and birds were unaffected, while higher primates experienced the same benefits as humans.

Abdominal Planet

Item #: SCP-007

Object Class: Euclid

Special Containment Procedures: SCP-007 is to be contained in a sealed room measuring 10 m on each side. Room is to be furnished comfortably as a living area, along with whatever items are requested by ██████████ (hereafter referred to as Subject), given that providing Subject with requested items would not compromise security. Subject is not to be allowed to leave the room, and is to be detained with force if necessary.

Description: SCP-007 is located within a cavity in the abdomen of Subject. Subject is a Caucasian male, physically approximately 25 years of age (subject claims to be 28) and 176 cm in height. Most of Subject's abdomen (muscles, skin, and organs) is absent, though Subject does not appear to suffer because of this. Instead of normal flesh, a sphere composed of soil and water is present, though it does not actually come into contact with Subject's body at any point. The sphere appears to be, in most respects, a miniature near-duplicate of the Earth, approximately 60 cm in diameter, although continental alignment is not consistent with that of any alignment known in Earth's history. The sphere has its own weather patterns and negligible gravitational pull, in addition to microscopic organisms somewhat resembling those of modern-day Earth inhabiting it. Two intelligent species have been observed, though contact and communication with either has yet to be made. Technology levels of observed species must be checked at least once a week and, as of █/██, are approximately equal to that of 15th-Century Earth.

Subject claims to be named ██████████, but no records of such a person can be found. Subject does not require food or water, and while he has been observed consuming both, what happens to such substances after being swallowed is unknown. Subject is intelligent (IQ has been measured at 128) and amiable, and regards the planet in his abdomen as a minor curiosity about his body. Subject seems to experience no stress about his unusual condition. When questioned about planet's origins, Subject replied, "I just woke up one day, and there it was. I don't have any idea how it got there." Subject has provided a Social Security number and driver's license number and requested that they be checked against known records. When checked, it was discovered that neither had yet been allocated.

Dr. ██████ has a weekly chess game with Subject, during which Subject's mental health is evaluated. Dr. ██████ reports that Subject does not seem to mind the restricted living environment, and has yet to attempt to escape or show signs of violence or mental illness, though he has repeatedly requested a computer with an internet connection. It is recommended that this not be provided as it may be used to compromise security.

SCP-008

=====

Zombie Plague

Item #: SCP-008

Object Class: Euclid

Special Containment Procedures: SCP-008 samples have been deemed Class V extreme biological hazards, and all related protocols apply. Incineration and irradiation measures will be deployed in the event of political or military action which may result in the facility being dismantled; a power failure; or zero communications from operatives or outside channels during any given eight hour period.

The quarantine period for operatives leaving the facility is four months. If a breach has occurred, incineration and irradiation measures shall be deployed. It should be the policy of all G2 sites to not prepare an evacuation procedure.

Description: SCP-008 is a complex prion, samples of which are stored in each of the known G2 sites. Research into SCP-008 is highly classified and primarily aimed at preventing research which may lead to the synthesis of SCP-008 in the distant future. Traits of the SCP-008 prion include:

100% infectiousness.

100% lethality.

Transmission through exposed mucous membranes and all bodily fluids.

Not airborne or waterborne.

Symptoms of infection with SCP-008 manifest no more than three hours after exposure, and include:

Flu-like symptoms with high fever, plus severe dementia in later stages.

Coma onset approximately 20 hours after first symptoms appear and 12 hours after noticeable dementia. Coma onset will be considered onset of death.

A period of sporadic cellular necrosis occurs which comes to resemble gangrene. Surviving tissue assumes its original function and is highly resilient.

Red blood cells greatly increase oxygen storage capacity, resulting in slower blood flow and increased muscle endurance and strength.

Nervous and muscular systems are unaffected by total organ failure for several hours.

Metabolism may decrease to extremely low levels, allowing subject to survive for over 10 years without nutrition.

High blood viscosity results in negligible blood flow from gunshot, puncture, and slashing injuries.

Conditioned behavior, motor controls, and instinctive behavioral mechanisms are damaged, and cognitive abilities are severely retarded and erratic. Animals experience excessive brain necrosis and are inactive.

Subject can adapt to its damaged nervous systems but is limited to basic physical activities, including standing up, balancing on two legs, walking, biting, grabbing, and crawling. Subject will energetically move towards sights, sounds, and smells it associates with living humans. Subject will attempt to ingest living humans if physical contact is made.

Neutralizing fully-infected subjects requires significant cranial trauma.

There is strong evidence to suggest SCP-008 itself did not form naturally on Earth, since variants of similar complexity would have displaced much of the ecosystem. In 1959, a short collaborative effort with the USSR to locate G2 sites and eliminate SCP-008 was negotiated following their discovery. The status of SCP-008 in Russian custody since collaboration ended is unknown.

Addendum 008-1: SCP-500 has been found to be able to completely cure SCP-008 even in the advanced stages of the disease.

SCP-009

=====

Red Ice

Item #: SCP-009

Object Class: Euclid

Special Containment Procedures: Object is to be contained within a sealed storage tank of heat-resistant alloy with dimensions not less than 2m x 2m x 2m.

Under no circumstances should SCP-009 be exposed to temperatures in excess of 0°C when not undergoing testing, and no water-based solutions shall be allowed within 30 meters of the object's containment area. Object's chamber is to be fitted with temperature sensors which must be monitored at all times, and is to be kept refrigerated by no fewer than three (3) redundant cooling units. Any malfunction of sensors, or of coolant systems, is to be reported and repaired immediately. If at any time the temperature in the containment area climbs above -5°C, the chamber is to be locked down and flooded with coolant until temperatures return to safe levels (-30°C to -25°C).

Containment area is to be kept in total vacuum during testing, and personnel interacting with SCP-009 must wear full environmental protection gear. Following testing, all equipment, personnel, and other materials must undergo dehydration procedures and be quarantined for no less than 12 hours. Any moisture found displaying properties of SCP-009 is to be quarantined and added to the containment area as soon as possible. Living organisms found to be contaminated by SCP-009 are to be terminated by chemical dessication and extracted molecules of SCP-009 added to containment.

Description: SCP-009 is approximately █████ liters of a substance which superficially resembles distilled water (H₂O), except with a distinct bright red hue. This red hue is discernible in all phases, and serves as the most expedient method of identifying contaminated matter before its anomalous properties manifest. In contrast to mundane water, SCP-009 assumes a liquid phase at temperatures between -100°C and 0°C, and a solid state above those temperatures. At temperatures below -100°C, SCP-009 vaporizes into a gaseous phase similar to steam.

Examinations of the atomic structure of SCP-009 have proved inconclusive. The substance appears to be identical to normal water molecules, with the exception of [REDACTED] in contrast to standard laws of enthalpy. Dr. █████, Site █████'s resident expert on Xenospatial Physics suggests that SCP-009 may originate in a universe with alternate physical laws.

The most hazardous property of SCP-009, however, is its ability to contaminate normal H₂O. When in contact with any aqueous solution, SCP-009 will, through unknown mechanisms, transfer its anomalous properties to other objects and creatures. Testing has shown it capable of assimilating ice, steam, tea, fruit juice, seawater,

blood, and [DATA EXPUNGED]. The time it takes for this process to occur varies depending on temperature and the exact chemical composition of affected matter, and had been observed as taking between 3 minutes and █ hours.

Experiments on D-Class personnel have illustrated the process of conversion by the substance, which has been found to follow a consistent pattern:

1. Initial Exposure: Subject is exposed to SCP-009, and it begins assimilating any moisture present on the exposed surface. Creatures in this stage do not commonly notice any unusual symptoms except for a slight warming sensation.

2. Surface Conversion: Frost begins to form on the exposed area as the heat produced by the subject and SCP-009 itself raises its temperature above 0°C. This stage can take anywhere from one (1) minute to █ hours, during which time subjects begin to feel [REDACTED] crystals from the epidermis.

3. Deep Tissue Conversion: Exponential increase in temperature of SCP-009 causes runaway reaction throughout subject's body, resulting in [REDACTED]. Actual blood loss is minimal due to ice crystals [REDACTED], allowing subjects to remain alive and conscious for up to █ hours.

4. [DATA EXPUNGED]

Testing on D-Class personnel was discontinued as of 4/23/20██.

Addendum: Circumstances of Retrieval: Subject was found in ███, Alaska, on 11/05/19██. The Foundation became involved after reports were obtained from the native ███ Tribe, who came across the mangled bodies of a team of seal hunters which had apparently been ship-wrecked █ kilometers from the village.

All victims were found encased in red ice. Cause of death recorded as internal bleeding, though closer examination found [REDACTED]. It is surmised that the low ambient temperatures in the area retarded the freezing process. This prolonged the time to total conversion by █ hours, and allowed the victims to remain conscious until [DATA EXPUNGED].

Origin of SCP-009 is currently unknown. Investigation into similar events or materials in the area is ongoing. Evidence at the scene suggests [REDACTED], possibly involving SCP-███.

See Exploration Log A009-1 for details.

Addendum: 11/09/19██

After initial report and retrieval of specimens, it was confirmed that the arachnoid entity found by MTF-B7 (see attached file) was indeed a previously unknown instance of SCP-3023. Investigation has revealed the instance originated in [REDACTED] as a result of [DATA EXPUNGED].

Addendum: 12/06/19■■■

After repeated inquiries, it should be noted that the portion of coastline upon which the initial victims were found was barren rock approximately ■ meters from the seashore, and was sufficiently dry and cold to prevent significant contamination of the surrounding area. Had the site been closer to the water, there is little doubt an extinction-level event would have ensued.

Consideration of upgrading SCP-009 to Keter class under review.

Addendum: 12/16/20■■■

Super-cooling of SCP-009 for the purposes of experimentation is disallowed until further notice. Personnel are advised that liquid nitrogen is only to be used on the subject in controlled amounts, and only until temperatures have reached acceptable levels.

Related note: Possible application of SCP-009 in cold fusion research pending evaluation.

Memo from O-5 Command: 1/09/20■■■

We've decided to keep this thing Euclid for now. We understand the concerns raised, but as long as you keep the power on and nobody goes near its containment area, there shouldn't be a problem. That's why we're keeping it in Site ■■■, after all.

As for the cold fusion research, we're putting a pin in that for now. Frankly, we don't have it in the budget for another SNAFU like Site ■■■. The salvage team still hasn't found Dr. ■■■■■'s [REDACTED]

- Cross-Testing report 9507F23

The following experiment record was recovered via a chance occurrence of SCP-507 shifting into a universe in which the described test was carried out using SCP-107. The applicability of the reported findings to our own universe is pending review.

Input: 10mL of SCP-009

Result: "Red snow" fell in test area for 27 minutes with moderate intensity. Grass growing in test area began runaway reaction which ended with entire area being "frozen" within minutes. Notably, anti-enthalpathic reaction of SCP-009 did not extend past the effective radius of SCP-107, for reasons still under investigation. Non-grass plants in area turned bright red in color, greatly expanded, and mutated to display cyan-colored "tentacles" similar to those of species *Drosera capensis*. Mucilage produced by these tentacles later found to be tiny beads of SCP-009. How the plant is able to survive with SCP-009 integrated into its cell structure is currently under investigation, with preliminary hypothesis being the plant is a reflection of flora from the substance's native universe.

SCP-010

=====

Collars of Control

Item #: SCP-010

Object Class: Safe

Special Containment Procedures: The objects comprising SCP-010 are to be kept in numbered locked boxes in a high security facility. They are not to be worn except by test subjects.

SCP-010 are only to be removed from storage for testing.

Description: SCP-010 consists of a series of six (6) apparently identical cast iron collars with numbered metal tags and one (1) remote control. The control is SCP-010-1. The collars are SCP-010-2 through 010-7. The collars contain intricate electronic components and are powered by small (5 mm diameter, 2 mm thick) 100 V batteries. These batteries are rechargeable.

The remote is a heavy black box resembling an old style hand-held radio transmitter/receiver with a primitive blue/white cathode ray screen and a series of more than 100 unlabeled buttons, as well as a frequency tuner. Through trial and error, the frequencies of all six (6) currently found collars have been discovered. A label in Russian is stamped into the metal along with a logo consisting of workers building a pyramid. No official Russian corporation or government agency uses this logo or matches the words stamped into the metal.

Placing the collar around the neck of a person and securing it allows one to control their every movement with the remote. It is also capable of producing an adrenal response and activating or deactivating the sympathetic nervous system. The most abnormal feature of the collars is the effect they have on the body morphology. They allow the user of the remote to reconfigure the shape of the victim to an extent that is apparently only limited by the knowledge of the programming language of the remote.

Addendum 010-1: History

SCP-010 was discovered in the basement of a lone man in the Midwestern United States after a local disappearance was connected to him. When the police raided the man's house they found SCP-010 as well as several dead bodies. One of the bodies was identified to be the man. The others were several other missing persons. Cause of death seemed to be mass suicide; however, there were signs of significant struggle first.

Addendum 010-2: Disassemble experiment

Test 1: SCP-010-2 taken apart piecewise, the parts labeled and

several photographs taken, then reassembled.

Result: After reassembly SCP-010-2 continues to function.

Test 2: SCP-010-8 constructed identically to SCP-010-2 but with the closest approximations available to the unreplicable components.

Result: SCP-010-8 fails to function.

Test 3: Unreplicable components from SCP-010-2 placed into proper locations on SCP-010-8.

Result: SCP-010-2 ceases functioning with removal of components. SCP-010-8 begins functioning.

Test 4: Components returned to SCP-010-2. Replicable components in SCP-010-2 replaced randomly with replicas

Result: SCP-010-2 begins functioning with return of components. Changing replicable components for replicas does not significantly reduce functionality. Replacement of a damaged transistor decreased time from transmission to effect of SCP-010-2 response to commands entered in the remote by 12%.

Addendum 010-3:

SCP-010 has been demonstrated to work more effectively in creating unskilled labor than for any other task. The logo is apt. ~ Dr.
■■■■■

[R E D A C T E D]

Series

2

[R E D A C T E D]

Series

3

[R E D A C T E D]

Series

4

[R E D A C T E D]

Series

5

[R E D A C T E D]

Series

6

[R E D A C T E D]

Index

[R E D A C T E D]

RESTRICTED

Catalogue of Known SCPs

Ever wanted the whole of the SCP Foundation's database in one place?

Pulled from the Foundation's own classified database, cleaned up to remove all the cognitohazards and perceptohazards, and indexed for your convenience. A single, handy document, with a useful index added so you can cross reference all those pesky SCPs, MTFs and Foundation staff.

Purchase this document, download it to your Kindle™, tablet or Foundation-approved Secure Communication Product™ and have all the information you need at your fingertips the next time **you** encounter an unknown SCP! (Or just read it on bathroom breaks. It's up to you what you do with it. But don't print it out... there's no arcane wards or anything, it's just over 25,000 pages long.)

This ebook contains:

5,470 SCP files,

193 Mb of data,

26,879 pages (including covers),

4,876 instances of the word "f■■■",

3,557 instances of the word "[REDACTED]",

ZERO perceptohazards, cognitohazards or memetic kill agents.*

** That we found.*

Secure. Contain. Protect.

WARNING

SOME OF THESE SCPS ARE ADULT IN NATURE OR INCLUDE GRAPHIC DESCRIPTIONS OF HORROR. THIS BOOK IS NOT SUITABLE FOR CHILDREN.

